International Federation of Surveyors International Hydrographic organisation International Cartographic Association



STANDARDS OF COMPETENCE FOR CATEGORY 'B' HYDROGRAPHIC SURVEYORS

Publication S-5B First Edition Version 1.0.0 - June 2015

Published by: The International Hydrographic Organization 4b quai Antoine 1er B.P. 445 Monaco, MC 98011 Cedex MONACO <info@iho.int> <www.iho.int>

Comments arising from the experience gained in the application of the standards are welcome. They should be addressed to the Chairman of the International Board for Standards of Competence of Nautical Hydrographers and Nautical Cartographers at the above address. This document is published periodically. Please check with IHO for the latest edition, including current amendments.

A. INTRODUCTION

All components of the hydrographic surveying and nautical cartography professions face challenges as how best to ensure the continuance of high standards and how best to ensure the continuation of best practices based on minimum standards of competence world-wide. In order to achieve these objectives, three international organizations (FIG, IHO and ICA) have developed Standards of competence that institutions or professional bodies may adopt for their educational/training programmes and competency schemes.

Standards indicate the minimum degree of knowledge considered necessary for hydrographic surveyors and nautical cartographers to meet national hydrographic and charting requirements and the often more diverse needs of industry.

The standards developed are known as S-5 describing the competences for hydrographic surveyors and S-8 describing the competences for nautical cartographers

Both Standards recognize two levels of programme. Category A programmes introduce content and learning outcomes primarily from the underlying principles level. Category B programmes introduce them primarily from a practical level.

The intention is that a Category A qualified individual with appropriate experience, would be a senior professional in their chosen field (government, industry, academia). Category B qualified individuals with appropriate experience would be technical professionals preparing and delivering products and services to meet specifications and outcomes.

B. DEFINITIONS

B.1 Subjects, topics, and elements

The S5-B standard contains the following list of Basic subjects and Essential subjects:

Basic Subjects:

B1 Mathematics, statistics, theory of errors;B2 Information and Communication Technology;B3 Physics;B4 Earth sciences;B5 Nautical science;B6 Meteorology.

Essential Subjects:

- E1: Underwater acoustics;
- E2: Remote sensing;
- E3: Water levels and flows;
- E4: Positioning;
- E5: Hydrographic practice;
- E6: Hydrographic data management;
- E7: Environment.

Final project:

CFFP: Comprehensive Final Field Project.

Topics and Elements:

- Each **Essential** or **Basic** *subject* is comprised of a list of *topics* which are denoted by Ex.y or Bx.y;
- Each *topic* contains *elements* which are denoted by Ex.y<c>.

For example, the *subject* E5 "Hydrographic practice" contains the *topic* E5.1 "Hydrographic survey projets" which has the *element* E5.1a "Hydrographic surveys purposes".

B.2 Learning outcomes and list of content

It is important to understand that each *element* is associated with:

- an intended *learning outcome*, that a student should be able to achieve on completion of the programme. All *learning outcomes* should be evaluated, either by or through a combination of, assessment, examination, laboratory work or final project work.
- a list of *content*. This list is associated with one or more *learning outcomes* and describes the theoretical knowledge or practical/technical context which the course syllabi should address in order to meet a particular *learning outcome*.

For the sake of clarity, a level of knowledge associated with each learning outcome has been defined. It is indicated in italics in the left column, by a letter (*B: Basic, I: Intermediate*; see "Guidelines for the Implementation of the Standards of Competence for Hydrographic Surveyors"). This letter designation (*B: Basic, I: Intermediate*) complements the learning outcome description associated with each element.

C. Programme preparation and submission

The preparation of a programme submission to the IBSC should be done in accordance with the document entitled GUIDELINES FOR THE IMPLEMENTATION OF THE STANDARDS OF COMPETENCE FOR HYDROGRAPHIC SURVEYORS. This document is available from the IHO website: www.iho.int \rightarrow Standards & Publications.

The cross reference table is a mandatory requirement for a programme submission and **MUST** be completed. A template is specified and is available from the IHO website: <u>www.iho.int</u>

S-5B STANDARDS:

INTENDED LEARNING OUTCOMES AND ASSOCIATED CONTENT

1. BASIC SUBJECTS

B1 Mathematics, Sta	tistics	s, The	ory of I	Errors		
Element	Hours			Module and	Content	Learning outcomes
	Т	Р	SG	content		
B1.1 Linear Algebra					 (i) Vector and affine spaces vector and inner products, norms. (ii) Linear equations, determinants. (iii) Analytical geometry, lin and plane equations. (iv) Linear operators, matrix representation, composition, inverse, transpose. (v) Translations, rotations, coordinate transformations. 	transformations involved in surveying and mapping. (E4.1c) Solve linear equations using matrix methods.
B1.2 Differential calculus (B)					 (i) Real and vector valued functions. (ii) Gradient of real-valued functions and their discrete approximations 	Compute the gradient of a vector valued function.
B1.3 Trigonometry (B)					 (i) Basic trigonometry (ii) Sphere, great circle, rhumb lines, sphere angles, spherical triangle and spherical excess. 	Apply plane and spherical trigonometry to surveying problems.
B1.4 Statistics (I)					 (i) Random variables, mear variance, standard deviation (ii) Covariance and correlation (iii) Estimation of mean, variance, co-variance (iv) Normal distribution 	n, Define a random variable and estimate its mean, variance, co- variance and standard deviation.
B1.5 Theory of errors (B)					 (i) Linear observation equations (ii) Co-variance propagation law 	measurement uncertainty as a function of observables co- variances.
B1.6 Least squares					 (i) Least squares procedure (ii) Covariance of estimated parameters (iii) Use of unit variance factor estimate 	

	(iv) Interpretation of ellipses of confidence
B1.7 Interpolation (B)	 (i) 1D polynomial interpolation (ii) Spatial interpolation by inverse distance weighting methods Differentiate between 1-D and spatial interpolation methods. Create and compare interpolated surfaces from one set of sparse survey measurements using appropriate software under different configurations.

Element	Hours			Module and	Content	Learning outcomes
	Т	Р	SG	content		8
B2.1 Computer systems (I)					 (i) Central Processing U (ii) RAM, data storage (iii) Communication boar serial links, communication ports buffers, Ethernet link data transmission rat (iv) Communication prot (v) Clocks, clocks drift, tagging and synchronization of d (vi) Operating systems (vii) Device drivers 	components of a real-time data acquisition system, including various modes of communication and time- tagging. es bocols time driver and its relation to data exchange.
B2.2 Office work software suites (<i>I</i>)					 (i) Word processors (ii) Spreadsheets (iii) Graphics and image processing software (iv) Database manageme systems and query languages 	Use classical office work software suites. Construct a database, populate it and query its content.
B2.3 Programming					 (i) Basic operations of a computer program or script (ii) Algorithms (loops, conditional instruction (iii) Scientific computation environments (iv) Application to data exchange, file converted of the second second	conversion and/or basic algorithm computation.
B2.4 Web and network communications (<i>B</i>)					 (i) Networks (LANs) (ii) Internet (iii) Networks integrity (iv) Communication prot 	ocols Describe the different network communication protocols used in remote data exchange applications.
B2.5 Databases (B)					 (i) File types (binary, te XML) (ii) Relational databases (iii) Geospatial databases 	geospatial data and their representation.

B3 Physics							
Element	Но	urs		Module and	Con	tent	Learning outcomes
	Т	Р	SG	content			
B3.1 Mechanics					(i)	Kinematics (angular and	Describe the relationship
						linear velocities,	between linear and rotational
<i>(B)</i>						accelerations)	motions through acceleration
					(ii)	Coriolis Effect	and velocity
					(iii)	Newton's law, forces,	
D						accelerations, energy	
B3.2 Gravity					(i)	Gravity field of the earth	Describe the gravity field of the
					(ii)	Equipotential surfaces	earth in terms of acceleration
(B)		_					and potential
B3.3 Waves					(i)	Electromagnetic waves	Differentiate between types of
					(ii)	Pressure waves	waves and their generation and
(B)					(iii)	Ocean waves	propagation.
					(iv)	Wave Propagation	Englain han na dian
					(v)	Electromagnetic	Explain how medium parameters affect wave
						spectrum	behavior.
					(vi)	Radiation, emission and	
						absorption	
					(vii)	Reflection, refraction,	
						diffraction	

B4 Earth Sciences Element	Ho	urs		Module and	Content	Learning outcomes
	Т	Р	SG	content		
B4.1 Geography and geology (<i>B</i>)					 (i) Plate tectonics, earthquakes zones (ii) Different types of rocl (iii) Erosion and deposition (iv) Rivers and estuaries 	
B4.2 Substrates (B)					 (i) Sediment types (ii) Siltation (iii) Submerged aquatic vegetation (iv) Corals 	Distinguish common seafloor characteristics

B5 Nautical science					a	-
Element	Ho T	urs P	SG	Module and	Content	Learning outcomes
B5.1 Conventional aids to navigation (<i>B</i>)	1	P	50	content	 (i) Types of buoys and beacons (ii) Radar beacons (iii) AIS systems 	Describe the principal fixed and floating aids to navigation and the use of automatic identification systems.
B5.2 GMDSS (<i>B</i>)					 (i) Sea areas (ii) ERIRBs and SARSAT (iii) Digital selective calling (iv) NAVTEX (v) Inmarsat-C 	Describe the components and purpose of GMDSS.
B5.3 Nautical charts (B)					 (i) Content, datum, projection, scale and types of nautical charts (ii) Chart symbols (iii) Chart graticules (iv) Uncertainty indicators (e.g. source diagram, reliability diagram, zon of confidence, notes) (v) Navigational hazards (vi) Plotting instruments 	Layout a route on a nautical chart, plot positions, identifies navigational hazards and revise navigational plan as required. Describe the content of a nautical chart and explain datum, projection, scale Describe the uncertainty indicators associated with nautical charts.
B5.4 Navigation publications (<i>B</i>)					 (i) Sailing directions, (ii) Light and radio lists, (iii) Tides and current tables (iv) Notice to mariners 	Use content of nautical publications in a survey
B5.5 Compasses (B)					 (i) Magnetic compasses (ii) Gyros (iii) Earth magnetic field (iv) Compass error and corrections 	Describe the capabilities, limitations and errors of magnetic and gyro compasses. Determine and apply corrections for magnetic and gyro compass error.
B5.6 Emergency procedures (<i>B</i>)					 (i) Fire extinguishers (ii) Life preservers and cold water survival suits, life rafts (iii) Distress signals and EPIRB (iv) Procedures for man- overboard, fire, and abandoning ship 	Explain the importance of the emergency equipment and
B5.7 Safe working practice (<i>B</i>)					 (i) Water-tight doors and hatches (ii) Suspended loads (iii) Enclosed spaces (iv) Working aloft, with equipment over the side (v) Work permitting (vi) Securing equipment for sea (vii) Cables and antenna installation (viii) Earthing of electrical equipment (ix) High voltage electrical safety (x) Personal protective equipment 	instruments.

B5.8 Rope and	(i)	Types of wire and rope	Select and tie basic knots.
wires	(ii)	Characteristics (stretch,	
		floating, strength) of	Select appropriate wire or rope.
(B)		ropes.	
	(iii)	Basic knots	
B5.9 Towed and	(i)	Rosette systems and	Deploy and recover
over the side		instruments	oceanographic and
instruments	(ii)	ROVs, AUVs, towed	hydrographic equipment
		systems, catenary and	
		layback	
(B)	(iii)	A-frames, cable blocks,	
		electro-mechanical wire,	
		slip rings and optical cabling	
	(iv)	Moonpools	
	(\mathbf{v})	Launch and recovery	
	(v) (vi)	Station keeping and	
	((1)	maneuvering	
		maneu (en ing	
B5.10 Anchoring	(i)	Shipboard ground tackle	Describe ship and small boats
		including anchor, chain,	anchoring and ground tackle.
(B)		windlass, stoppers	
	(ii)	Small boat anchoring	Explain how the final position
	(iii)	Multiple anchors	of the vessel can be adjusted
			through the use and anchors.
B5.11 Instrument	(i)	Launch and recovery	Prepare, deploy and recover
moorings	(ii)	Anchors and acoustic	seabed instruments.
		releases	
(B)	(iii)	Scope, wire, flotation,	
		tension	
	(iv)	Weights	

B6 Meteorology	r			<u> </u>		
Element	Ho	urs		Module and	Content	Learning outcomes
	Т	Р	SG	content		
B6.1 Weather observations (<i>B</i>)					 (i) Vertical structure and the variability of the atmosphere (ii) Temperature, humidity, dew-point, frost-point (iii) Atmospheric pressure, winds (iv) Clouds and precipitations (v) Rain, snow (vi) Visibility, advection fog and radiation fog (vii) Pressure systems (viii) Geostrophic winds, anabatic and katabatic winds 	Define physical meteorological parameters Operate instruments and sensors used to register temperature, pressure, direction and intensity of wind. Record these parameters according to internationally accepted standards. Identify characteristics of weather by simple observation
B6.2 Wind (<i>B</i>)					(ix) Instruments and sensors used to register temperatures, pressure, direction and intensity of wind	of the sea and the sky. Explain the relation between atmospheric pressure, temperature and wind. Describe wind circulation around pressure systems and the effect of friction.
B6.3 Weather forecasting (<i>B</i>)					(i) Synoptic charts(ii) Weather forecast	Interpret a synoptic chart. Produce an operational short range forecast based on meteorological information, weather bulletins and facsimile charts

2. ESSENTIAL SUBJECTS

E1 UNDERWATER ACOUSTICS

Element	Ho	urs		Module and Content		Learning outcomes
	Т	Р	SG	content		
E1.1 Acoustic The	ory					
E1.1a Generation					(i) Plane and spherical waves	Explain how transducer
of acoustic waves					in terms of wavelength,	parameters impact upon beam
					amplitude and frequency.	characteristics.
(B)					(ii) Speed of sound in relation	
					to water properties and profile	TT 1 1 1 1
E1.1b					in the water column.	Using appropriate units, describe
Propagation of					(iii) Acoustic units, intensities	acoustic wave behavior with
acoustic waves					and sound levels	reference to physical properties of
					(iv) Active Sonar Equation	the water column.
(*)						
(I)					including sound source, causes	Create a sound speed profiles
					of propagation loss in relation	from water column measurements
					to water properties together	and describe its effect on the
					with characteristics of the sea	acoustic ray path.
E1.1c Reflection,		1			floor and targets, noise level	Detail sources of noise and the
scattering and		1			-	impact of noise on operation of
system					and directivity	acoustic systems.
performance					(v) Refraction and the path of	
		1			sound rays through the water	
					column.	
(B)					(vi) Transducer principles and	
					beam characteristics	
E1.1d Reception						Explain how a system is
of acoustic waves					(vii) System parameters	optimized in terms of
of acoustic waves					including bandwidth, pulse	environmental factors for
					length, pulse repetition rate,	measurement and target detection.
(<i>B</i>)					gain, detection, threshold,	incustrement and target detection.
(2)					range resolution and spatial	
					resolution.	
E1.2 Single Beam	Syste	ms &	Side Sc	an Sonar		
E1.2a Single	-				(i) Split beam and dual beam	Set up, deploy and operate a
beam echo					echo sounders	single beam echo sounder.
sounders					(ii) Components of a single	Select appropriate range, scale,
						frequency and pulse repetition rate
					beam echo sounder.	for specific applications in relation
(I)					(iii) Operation of single beam	to spatial resolution, bottom
					echo sounders.	penetration and depth of water.
					(iv) Bottom detection	penetration and depth of water.
E1 2h Cir -1-					principles.	Interment coho accorden actor
E1.2b Single					(v) Full echo envelope returns	Interpret echo sounder returns
beam echo		1				through differentiation between
sounder data		1			(vi) Sub-bottom profiling	return signals.
recording.					systems.	
		1			(vii)Validation & Calibration.	
(I) E1.2. D					(viii) Principles, components,	
E1.2c Range		1			geometry and deployment of	Detail and quantify components
uncertainty		1				contributing to uncertainty in
					side scan sonar systems.	derived ranges.
(I)					(ix) Side scan sonar backscatter	
E1.2d Side scan		+	ł		and sea floor reflection.	Satup daploy and operate sid-
					(x) Side scan images and	Set up, deploy and operate side
sonar					sources of distortion.	scan sonar.
		1			(xi) Combining sources of	Interpret side scan sonar records
(1)		1	1	1	(AI) Comonning sources of	considering target characteristics,
(I)					· · · ·	
(I)					uncertainty.	system configuration, potential sources of noise and distortion.

E1.3 Swath Systems		
E1.3a Beam	(i) Transducer elements and	Define characteristics of beams in
characteristics	arrays.	relation to transducer settings.
(B) E1.3b Backscatter and water column returns (B) E1.3c Bottom spatial coverage	 (ii) Beam forming and beam steering (iii) Principles and geometry of multibeam and interferometric (phase measurement) sonar systems (iv) Amplitude and phase bottom detection (v) Variations in beam 	Compare phase and interferometric systems with multibeam systems Describe characteristics of returns in the context of seabed type, angle of incidence and scatter from within the water column Determine sounding density and object detection capability as functions of system parameters
(I) E1.3d Installation and configuration (B)	spacing and footprint size (vi) Backscatter and seabed classification (vii) Hull and pole mounting of transducers considering	Describe suitable mounting structure and location for transducers given operational constraints
E1.3e Range and angle uncertainty (<i>I</i>)	platform motion. Integration of components including time stamping, attitude compensation, sensor offsets and networking. (viii) Surface and water column sound speed	Differentiate between error sources in phase and amplitude detection modes. Identify sources of range and angle uncertainty depending on acoustic parameter configuration
E1.3f Operation (I)	(ix) Gain, power, pulse length (x) Quality control procedures	Identify problems or artefacts in on-line data due to inappropriate configuration or changing environmental parameters. Tune acoustic parameters for optimum performance. Apply quality control procedures to data acquisition and on-line processing

Element	Hours			Module and content	Content	Learning outcomes
	Т	Р	SG			
E2.1 LiDAR				1	1	1
E2.1a Airborne LiDAR systems (<i>B</i>)					 (i) Wavelength, water penetration and ground detection (ii) Scanning frequency and pattern in relation to power, coverage and spatial density. (iii) Influence of sea surface roughness, water column turbidity on the beam pattern and penetration. (iv) Sea bed optical characteristics and bottom detection. 	Explain the principles, capabilities and limitations of topographic and bathymetric LiDAR. Describe the environmental and operational environments in which bathymetric LiDAR surveys are complementary to echo sounder surveys
E2.1b Airborne LiDAR data products (<i>B</i>)					 (v) Secchi disc and Secchi depth (vi) (vii) Optical characteristics of coastal terrain. (viii) Influence of geometry and waveform on feature detection. (ix) Integration of components including time stamping, attitude compensation, sensor offsets and 	Extract high and low water line from bathymetric and topographic LiDAR data sets. Use topographic and bathymetric LiDAR data to complement other spatial data.
E2.1c Terrestrial LiDAR (<i>B</i>)					networking. (x) Combined bathymetric and topographic LiDAR systems	Use terrestrial LiDAR data to complement other coastal spatial data.
E2.2 Remote Sens	ing					
E2.2a Remotely sensed bathymetry (<i>B</i>)					 (i) Multispectral imagery and water penetration in relation to wavelength (ii) Satellite Derived Bathymetry (SDB) (iii) Spatial resolution and accuracy available. 	Demonstrate awareness of techniques and data sources in remotely sensed bathymetric data and the spatial parameters associated with such data.
E2.2b Shoreline delineation (<i>B</i>)					 (i) Multispectral imagery, reflectance in relation to wavelength and terrain characteristics. (ii) Geometrical properties of satellite images and aerial photographs 	Describe geometrical properties of images and explain how a shoreline map can be created from images and aerial photographs.

Element	Hours			Module and	Content	Learning outcomes	
E3.1 Principles of	Т	Р	SG	content			
E3.1a Tidal fundamentals (<i>B</i>) E3.1b Tidal					 (i) Tide generating forces, the equilibrium and real tides. (ii) Major harmonic constituents and different types of tide. (iii) amphidromic points and co-tidal charts. (iv) Geomorphological influences on tidal characteristics (i) Tide and current tables 	Explain tidal characteristics in terms of tide raising forces and local and regional morphological features.	
(B) E3.1c Non-tidal water level variations (B)					 (i) Tide and current tables (ii) Tide prediction tools (v) Changes in water level caused by: atmospheric pressure, wind, seiches, ocean temperature and precipitation. (vi) Water level variations in estuaries, wetlands and rivers (vii) Water level variations occurring in inland lakes, rivers, reservoirs and canals 	Describe the effect of non-tida influences on tidal water level in the conduct of a hydrographic survey Describe sources of water leve variations occurring in inland waters	
			<u> </u>				
E3.2 Water Level E3.2a Water level gauges (<i>I</i>) E3.2b Tidal measurement (<i>I</i>)					 (i) Operating principles of various types of water level gauges including pressure (vented and unvented), GNSS buoys, float, radar, acoustic sensors and tide poles/boards/staffs. (ii) Installing water level gauges, establishment and levelling of according to the poles. 	Explain the principles of operation of different types of water level gauges. Install, level and calibrate a water level gauge. Configure water level gauges for logging data, data communication, data downloa and for network operation wit	
E3.2c Water level datums (<i>B</i>)					associated survey marks (iii) Networks of water level gauges (iv) Reference levels such as MSL, chart datum, and mean high water.	appropriate quality control measures. Define various tidally based reference levels on the basis o tide time series and explain ho	
(B) E3.2d Uncertainty in water level					 (v) River and lake datums (vi) Uncertainties associated with measurement devices (vii) Uncertainties associated with duration of observations. (viii) Uncertainties associated with spatial separation of water level measurements. 	these values are computed. Describe how vertical referen- levels in rivers and lakes are defined, and determined in practice. Relate uncertainty in water levels to uncertainties in measurement, duration and	

E3.3a Water level reduction of soundings (I) Image: Comparison of soundings using GNSS observations (I) E3.4 Currents	 (i) Vessel draft, squat (ii) Lever-arms and Position Reference Point offsets (iii) Vertical datums for sounding reduction (iv) Predicted tides versus measured tide reduction (v) Co-tidal charts (vi) Reduction of survey data to a datum using GNSS observations (vii) Reduction of survey data using water level observations 	Use tidal information, and vessel parameters to reduce soundings to a specified datum. Configure and calibrate GNSS to reduce soundings to a specified survey datum.
E3.4a Tidal streams and currents (B) E3.4b Current measurement and portrayal (B)	 (i) The relationship between currents and tides (ii) Rectilinear and rotary tidal streams (iii) Methods for measuring tidal streams and currents, including current meters, acoustic current profilers (ADCP) and drogues. (iv) Current surveys (v) Surface current radar observation (vi) Portraying current data 	Explain the forces behind currents and change in currents with tides. Describe techniques for current measurement and identify appropriate methods for acquiring and displaying current data.

Element	Hours			Module and	Content	Learning outcomes	
	Т	Р	SG	content		0	
E4.1 Geodesy	-	-	T				
E4.1a					(i) Shape of the Earth as a	Describe the shape of the Earth	
Introduction to					sphere, ellipsoid of revolution and	in terms of potential and	
Geodesy					the geoid;	ellipsoidal models	
					(ii) Definitions of astronomical		
(B)					terms and time.		
E4.1b Coordinate					(iii) Geodetic computations on	Describe modern geodetic	
systems, frames					the ellipsoid. (iv) Local geodetic reference	reference systems and associated reference frames.	
and datums					frames	associated reference frames.	
<i>(B)</i>					(v) Vertical datums		
E4.1c Geodetic					(v) Vertical datums (vi) Terrestrial reference	Describe horizontal and vertical	
transformations					systems and reference frames.	datum transformation concepts	
and associated					(vii) Modern geodetic datums	dutum transformation concepts	
computations					WGS84, GRS80.		
T	1	1			(viii) Datums and datum		
(B)	1	1			transformation techniques		
E4.1d Ellipsoidal	1	1	1		-	Describe geometry of lines on	
computations	1	1				the ellipsoid and perform	
-						forward and inverse	
(B)						computations on the ellipsoidal	
						surface using available	
						software.	
E4.2 Principles of	Carto	grapl	ıy	1			
E4.2 Map					(i) Geometrical properties of	Describe the properties and	
projections					map projections	distortions in different types of	
(D)					(ii) Cylindrical, conical	projections used in maps and	
<i>(B)</i>					projections including the UTM system and stereographic	charts. Explain the selection of	
					(iii) Analytical projection	projection type and apply	
					formulae and planimetric	appropriate projection formulae	
					coordinates		
					(iv) Distortions in distance and		
					direction associated with different		
					map projections		
E4.3 Positioning N	Aeasu	reme	nts, Met	hods and Techni			
E4.3a Positioning					(i) Principles of distance	Undertake control surveys,	
fundamentals					measurement and angle	establish, mark and describe	
					measurement	control stations, describe	
(I)					(ii) Principles of 2-D adjustment	horizontal positioning	
					(iii) Sextant	procedures, apply appropriate	
					(iv) Total station	methods and use corresponding	
	1	1			(v) Theodolite	instruments for positioning.	
	1	1			(vi) Electromagnetic positioning devices	Correct gyros using astronomic methods.	
E4.3b Satellite					(vii)Intersection, Resection, Polar	Explain the GNSS concept and	
positioning	1	1			and Traverse	principles. Define pseudo	
Positioning	1	1			(viii) Astronomic methods for	ranging and carrier phase based	
(I)					determination of orientation.	modes of satellite positioning	
. /	1	1			(ix) Expansion of traditional	Differentiate between base	
	1	1			geodetic networks	station and permanent	
					(x) Principle of GNSS	networks, real-time and post-	
					positioning	processing.	
E4.3c Positioning			ſ		(xi) GNSS services characteristics	Field test and use distance and	
systems					(single baseline, network, Precise	angle measurement instruments	
	1	1			Point Positioning)	Apply field validation	
(I)	1	1			(xii)Performance of code vs.	procedures	
					carrier; differential vs.		
					autonomous modes; multiple vs.	Operate GNSS and DGNSS	
	1	1	1	1	single frequency; fixed vs. float	equipment, assess accuracy and	

	ambiguity resolution (xiii) Atmosphere (troposphere,	precision, post-process GNSS data using appropriate software.
E4.3d Historical surveys	ionosphere) effects on GNSS signals (xiv) Control stations (xv)Logistical aspects of	Relate historical surveys to legacy positioning systems.
E4.3e Survey control	providing control	Establish, mark, and describe control stations, particularly hydrographic stations.
(<i>I</i>) E4.4 Vertical Positioning		
E4.4a Height	(i) Height systems (dynamic,	Differentiate between gravity-
systems (B)	orthometric and normal) (ii) Leveling instruments	related and ellipsoidal heights
E4.4b Elevation	(iii) Total stations	Describe methods for
measurements and computation	(iv) Effects of curvature and refraction(v) GNSS observations	determining elevation differences. Determine height using GNSS
(1)		equipment. Compute elevations and leveling networks from observed leveling data. Use observation techniques for correction of curvature and refraction.
E4.5 Acoustic Positioning		
E4.5a Acoustic	(i) Long baseline	Describe the deployment,
positioning concepts	(ii) Short baseline	calibration, signal structure and performance of acoustic
(<i>B</i>)	 (iii) Ultra-short baseline (iv) Transponders (v) Depth sensors (vi) Integration with INS and 	positioning devices. Describe the use of acoustic positioning systems in offshore survey operations.
E4.5b Acoustic	velocity sensors	Describe the principles of
positioning systems (B)	(vii) Use of acoustics for positioning towed vehicles, ROVs and AUVs	integrated subsea positioning systems and their application to remote survey platforms
E4.6 Inertial Navigation		
E4.6a Inertial	(i) Gyros and accelerometers	Describe principles and use of
Measurement Units (B)	(ii) IMU(iii) Procedures for INS static and dynamic alignment(iv) Use of IMU in heave	IMU's including north finding and heave estimation. Compare IMU heading measurements with magnetic and gyro compasses.
E4.6b Inertial Navigation Systems	estimation (v) Aided Inertial navigation: • ADCP/INS	Distinguish IMUs and INS, and describe dynamic alignment of INS.
(B)	GNSS/INS USBL/Depth/INS	Explain the concepts of aided inertial navigation system.
E4.7 Uncertainty in Positioning		
E4.7 Sources of uncertainty	(i) Static surveys:• GNSS observations	Describe and explain the sources and magnitude of uncertainties associated with
(1)	 Total stations Leveling instruments Acoustic positioning	each positioning method and positioning system.
	 (ii) Mobile surveys: GNSS equipment IMU/INS Acoustic positioning 	Monitor, review and assess the performance of each positioning system to be used including repeatability, precision and accuracies of relative and absolute positions using

					(iii) Total propagated uncertainty	appropriate statistical tools.
E5 HYDROGRAI			TICE			
Element	Ho		IICE	Module and	Content	Learning outcomes
Element	T	P	SG	content	Content	Learning outcomes
E5.1 Hydrographi	c Surv	ey Pr				
E5.1 Hydrographic E5.1a Hydrographic survey purposes (1) E5.1b Hydrographic survey execution requirements (1)					 (i) IHO S-44 and other survey quality standards. (ii) Hydrographic instructions and tenders (iii) Types of surveys, such as: Nautical charting survey Boundary delimitation survey Ports, Harbor and waterways surveys Engineering works and dredging surveys Coastal engineering surveys Enosion and land-sea 	Compare, interpret and apply hydrographic instructions and tenders associated with survey specifications. Identify the different phases and terminology associated with types of survey operations.
E5.1c Hydrographic survey project organisation (<i>B</i>)					 interface monitoring Environmental impact assessment Deep sea and ROVs /AUVs surveys Seismic and geomagnetic surveys Pipeline route, pipeline installation and cable laying surveys 	Distinguish the roles and responsibilities of individuals within a survey team.
E5.2 Hydrographi	c Surv	vev Oi	peration	15		
E5.2a Operational survey data transfer (<i>I</i>)					 (i) Remote water level measurement, (ii) Shore based stations in support of positioning systems (iii) Use of remote survey platforms and real time communication of data acquired. (iv) Data telemetry links including radio, satellite, telephonic and underwater communications. (v) Compatibility between equipment and communications devices. 	Describe data telemetry in support of on board survey data including applications and methods. Implement a data telemetry link between a survey infrastructure component and a survey system for real-time use.
E5.2b Survey systems (1) 5.2c Calibration and corrections (1)					 (i) Installation and calibration requirements for: Echo sounders Swath systems Side scan sonar Surface and sub-surface positioning system IMU/INS (ii) Sound velocity probes and profilers 	Explain the importance of the correct installation, calibration and determination of the attitude and position of each sensor. Setup, integrate and test survey system including sensors, acquisition system time- stamping strategy with appropriate physical offset determination.

		 integration systems (iv) Bar check (v) Boresight calibration for alignment bias (vi) Layback calculations 	Explain the purposes and apply speed of sound measurements in acoustic systems.
E5.2d Line planning (<i>I</i>) E5.2e Line keeping		 (i) Planning for data acquisition including line spacing and sample locations in alignment with tasks to be performed on surveys and equipment to be used. 	Plan survey vessel survey lines as well as towed, remote vehicle and autonomous vehicle lines in space and time. Explain the methods of maintaining a survey vessel or
(B)		(ii) Planning of survey operation considering currents, tides and survey speed.(iii) Track guidance and route following information systems.	survey system on a planned survey line or route. Describe the effects on the survey quality due to the vessel motion (speed over the ground, angular velocity).
E5.2f Survey operations (B)		 (i) survey parameters including: scale, positional accuracy and precision, survey speed, line orientation, environmental and 	Describe the roles and the relationships of the following survey parameters: scale, positional accuracy, survey speed, line orientation, survey lines, interlines, cross lines, fix interval, data coverage.
E5.2g Quality control (<i>I</i>)		 clavitoninental and oceanographic parameters survey lines, interlines and cross lines, sounding density and spatial resolution overlap data coverage. (ii) Quality control of: Horizontal position Vertical position (heave, squat, water level) 	Explain methods for quality control of survey data and the quality assurance of survey operations.
	Survey Documentation	Coverage and overlapSwath system dataSound speed	Current and common life-and
E5.3a Documentation (<i>I</i>)		 (i)Production of reports associated with the survey to include items such as: Coverage including special investigation areas Features such as rocks, wrecks, obstructions, wellheads and pipelines (least depth, extent and position) Track charts 	Create and compare different documents associated with survey procedures in alignment with requirements using files, charts and reporting tools. Describe the sources and means by which metadata files are created and populated.
		 Geodetic control on features such as shoreline and navigation aids (ii) Metadata to include data types of data obtained together with associated quality measures such as positional, thematic and temporal uncertainty as well as lineage. 	

E5.4 Legal Aspects	 (iii) Maintaining survey notes on event by event findings during data acquisition. (iv) Quality control procedures implemented and calibration reports produced (v) Compliance with survey specifications and standards. 	
E5.4a Liability of	(i) Nautical charts.	Detail the role and
the hydrographic	(i) Notice to mariners.	responsibilities of the
surveyor	(iii) Survey reports.	hydrographic surveyor as
(B)	(iv) Fundamentals of professional	required under professional ethics, industry standards and
	liability relating to surveying	national/international
		legislation/conventions.
		Explain the potential liability of
		the hydrographic surveyor
E5.4b Deliminations	(i) Historical development of 1982 UNCLOS Baselines –	Describe the types of baselines under UNCLOS and how the
Deminiations	normal (including closing	territorial sea limit is projected
(B)	lines); straight and	from them, including the use of
	archipelagic	low tide elevations.
	(ii) Base points	
	(iii)Baselines	
	(iv) Internal waters.	
	(v) Territorial seas.	
	(vi) Contiguous zones.(vii) Exclusive Economic Zone	
	(vii) Exclusive Economic Zone (viii) Extended continental shelf.	
	(viii) Extended continental shell. (ix) High seas	

Element	Ho			AGEMENT Module and	Content	Learning outcomes
Licincit	T	P	SG	content	Content	Learning outcomes
E6.1 Real-Time D	Data A	cquisi		d Control	1	I.
E6.1a					(i) Integration and logging of	Configure the data collection
Hydrographic					data from various sensors in	and recording software for
Data acquisition					accordance with survey	sensors and select sampling
-					specifications to include	rates, gating and filtering
<i>(I)</i>					equipment such as:	settings.
					• Echo-sounder (SBES, MBES)	Describe the process of on-line data validation and selection.
					• LiDAR	data vandation and selection.
					• Sound velocity profiler, surface velocity probe	
					• Side-scan sonar	
					 Surface positioning system 	
E6.1b Real-time					• IMU / INS	Demonstrate that the data meets
data monitoring					• Subsea positioning system (USBL)	survey requirements through on-line monitoring of display
(I)					• ROV / AUV / ASV	and visualization tools.
					(ii) Data acquisition system and	Use monitoring software to
					software	detect possible biases and errors in the data.
					(iii) Time-tagging	
	-			l	(iv) Data visualisation	
E6.1c Data					(i) Content of files in different	Create the required data types
transfer and					formats used to record data in	that will be part of standard
storage					survey planning, data acquisition	exchange formats.
					and products.	Configure systems for secure
<i>(I)</i>					(ii) Organisation of survey	storage, transfer and backup o
(1)					databases	survey data
					(iii)Data storage and backup	
					systems	
E6.2 Data Process	sing ar	nd Ana	alysis	l.	1	1
E6.2a Spatial data					(i) Data cleaning techniques	Apply data cleaning techniques
cleaning					(manual and automated)	using appropriate software.
					(ii) Identification of outliers	
					(iii) Identification of real features	Distinguish between noise, outliers & real features
(I)						
E6.2b Spatial data					(i) Total propagated uncertainty	Assess the total propagated
quality control					- horizontal	uncertainty of survey data
					(ii) Total propagated uncertainty	relative to the survey
(I)					- vertical	specification
<i>(I)</i>					(iii) Comparing crossing or	Apply procedures used to
					adjacent data between survey	assess, accept and reject data.
					lines	
					(iv) Comparing overlapping data	
					between survey platforms	
					(v) Identification of systematic	
					errors	
E6 2a Smethal Jak						Apply apptial data and a
E6.2c Spatial data					(i) Data interpolation techniques	Apply spatial data processing methods to create digital terrain
representation					(ii) Grids & TINs	models or gridded surfaces and
					(iii) Contouring	contouring.
(I)					(iv) Volume computations	contouring.
(*)						Apply estimation procedures to
						survey measurements and
						volume computations.
E6.3 Data Organi	isation	and I	Presenta	ation		
E6.3a Databases					(i) Raster and vector data	Explain the concepts of raster

(B)	models and commonly used file types (ii) Spatial Data Infrastructures including GIS (iii) Databases to hold different types of feature and geographical information	and vector data models. Describe the concepts of Spatial Data Infrastructures (SDI). Use file types that support the exchange of hydrographic data to transfer data between acquisition, database and GIS environments.
E6.3b Marine GIS basics (1)	 (i) Features and feature types of point, line and polygon with marine examples. (ii) Marine and coastal data bases (iii)Coordinate reference system (iv) Vertical datums (v) Survey metadata (vi) Base maps and images 	Explain the concept and use of Geographical Information Systems (GIS) within the marine environment. Create a GIS project using marine spatial data. Merge and mash up data sets of different origin by applying datum and projection transformations.
E6.3c Visualisation and presentation	(i) Symbology (ii) Use of colour schemes (iii) Shading and illumination (iv) Resolution (v) Vertical scale / exaggeration	Configure elements of a viewing package to highlight features of interest within a hydrographic data set.
E6.3d Deliverables (1)	 (i) Products provided directly from source data such as sounding data files and metadata. (ii) Feature databases such as wrecks, rocks and obstructions (iii) Data required for sailing directions, light lists, port guides and notices to mariners. (iv) Data required for offshore hazards and anomalies survey (v) Digital and paper products derived from source data for various survey types and usage such as GIS and CAD files and/or geo-referenced images. (vi) Reports on quality control, procedures, results and conclusions detailing processes adopted within survey operations and data processing. (vii) Product standards including: IHO S-100 and product standards such as S-102. Standard Seabed Data Model (SSDM). 	Describe hydrographic deliverables and produce paper products as well as digital products in accordance with specifications and standards. Prepare a report on a hydrographic survey.

E7 ENVIRONM	Ho	III		Module and	Content	Learning outcomes		
Element	T	P	SG	content		Learning outcomes		
E7.1 Oceanograp	-	1	50	content				
E7.1a Physical		1			(i) Units used in measuring and	Use oceanographic sensors to		
properties of sea					describing physical properties of	measure physical properties of sea water and compute speed of		
					sea water, normal ranges and			
water			relationships including: salinity		sound using observed physical			
					conductivity, temperature,	properties of sea water.		
(I)					pressure, density.	properties of sea water.		
					(ii) Oceanographic sampling and			
E7.1b					methods for measuring common	Set up, test and verify		
Oceanographic					oceanographic parameters and profiles	oceanographic survey sensors to		
						meet specifications.		
measurements					(iii) oceanographic sensors (e.g.	meet specifications.		
					for temperature, conductivity,			
(I)					and depth) and need for			
					calibration			
E7.1c Waves	1				(i) Wave parameters and	Outline wave generation		
		1			elements involved in the wave	processes and discuss		
					growth process including fetch	mitigation tactics against the		
<i>(B)</i>						impact of waves in planning		
. /		1			and bathymetry	survey operations.		
					(ii) Breaking waves, long-shore			
					drift and rip current processes.			
E7.2 Marine Geo	logy a	nd Ge	ophysic	es				
E7.2a Seabed					(i) Seabed samplers such as	Explain the objectives of seaber		
characteristics					grabs, corers and dredges and	sampling detailing sampling		
					basic sediment types.	equipment and how samples are		
					(ii) Types of seabed	stored and analyzed.		
(B)								
					(iii) Processes involved in seabed			
					dynamics			
E7 Oh Marsartia	_				(i) Manastia fields and	Emploin the second		
E7.2b Magnetic					(i) Magnetic fields and	Explain the use of magnetometers and the		
surveys					anomalies			
					(ii) Objectives of magnetic	objectives of magnetic surveys.		
					surveys to detect pipelines, cables			
<i>(B)</i>					and ordnance.			
					(iii) Magnetometers			
E7.2c Seismic		1	1	1	(i) Continuous	Explain the objectives of		
surveys		1			reflection/refraction seismic	seismic surveys and the		
						equipment used to conduct such		
					profiling.	surveys.		
<i>(B)</i>					(ii) Typical sound sources,	surveys.		
(<i>D</i>)					receivers and recorders.			
					(iii) High resolution seismic			
		1			systems			
					(iv) Sub-bottom profilers			
E7.3 Environmen	tal imr	l nact	I	L	I	I		
E7.3a Impact of			1		(i) Permanent and temporary	Describe appropriate		
surveys		1			threshold shifts (hearing) for	procedures and limitations for		
						use of surveying equipment in		
		1			marine mammals.	compliance with environmental		
(\mathbf{D})					(ii) Use of physical techniques	laws and marine protected area		
<i>(B)</i>		1			such as bar sweeps in	regulations.		
					environmentally sensitive areas.	regulations.		
		1			(iii) Respect for cultural traditions			
		1						
	1	1	1	1	in relation to use of the			

		environment	
		(iv) Marine protected areas	

3. COMPREHENSIVE FINAL FIELD PROJECT for S-5B

Submissions should include the following information to demonstrate that a programme provides for a minimum aggregate period of **at least four weeks**, supervised and evaluated comprehensive final field project (Section. 4.2 of the "GUIDELINES FOR THE IMPLEMENTATION OF THE STANDARDS OF COMPETENCE FOR HYDROGRAPHIC SURVEYORS").

Note: The comprehensive final field project does not include the practical exercises that form a part of the course modules syllabi and are designed to complement the theory component (Section 4.1 of the "GUIDELINES FOR THE IMPLEMENTATION OF THE STANDARDS OF COMPETENCE FOR HYDROGRAPHIC SURVEYORS").

THE FOLLOWING TABLE **MUST** BE COMPLETED AND SUBMITTED IN ADDITION TO A DETAILED AND COMPREHENSIVE NARRATIVE DESCRIPTION OF THE FINAL FIELD PROJECT MODULE:

- Learning outcomes, content and assessment must be described in order to reflect the different activities and objectives of the final project.
- For each task, the number of Theory and Practical contact hours and Self Guidance hours must be provided.
- A reference of activities and tasks of the comprehensive final field project to the related Essential subject must be provided.

Note: Hours referenced in the following table are also to be included in the cross-reference table under appropriate elements.

CFFP: Comprehensive Final Field Project								
Tasks:	Hou	ırs		Module	Related	Content	Learning	
	Т	Р	SG	modules reference	Essential subject:		outcomes:	
Planning								
Preparation								
Acquisition								
Processing								
Deliverables								
Reports								
Total					1	1	1	